PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



(81) Designated States: AL, AM, AU, AZ, BA, BB, BG, BR, BY, CA, CN, CU, CZ, EE, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, RO, RU, SD, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published With international search report.
CA, CN, CU, CZ, EE, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, RO, RU, SD, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published With international search report.
Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.
D THEIR THERAPEUTIC USE
7

A matrix metalloproteinase inhibitor is used for the treatment of a subject of a subject susceptible to or exhibiting a condition that can be treated with the inhibitor, wherein the treatment is conducted after surgical operation on the subject, and wherein the inhibitor exhibits an $1C_{50}$ of below 100μ M with respect to matrix metalloproteinase and causes no or a partial reduction in levels of tumour necrosis factor.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
ΑU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	ie.	Ireland	NZ	New Zealand
BG	Bulgaria	İΤ	Italy	PL	Poland
BJ	Beain	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belanu	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	Sudan
CF	Central African Republic		of Korea	SE	Sweden
CG	Congo	KR	Republic of Korea	SG	Singapore
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	u	Liochtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LR	Liberia	SZ	Swaziland
CS	Czechoslovakia	LT	Lithuania	TD	Chad
CZ	Czech Republic	LU	Luxembourg	TG	Togo
DE	Germany	LV	Latvia	TJ	Tajikistan
DK	Denmark	MC	Monaco	17	Trinkled and Tobago
EE	Estonia	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	UG	Uganda
Fl	Finland	ML	Mali	US	United States of America
FR	Prince	MN	Mongolia	UZ	Uzbekistan
GA	Gabon	MR	Mauritania	VN	Viet Nam

1

MATRIX METALLOPROTEINASE INHIBITORS AND THEIR THERAPEUTIC USE

Field of the Invention

This invention relates to the therapeutic use of compounds that inhibit matrix metalloproteinases.

Background of the Invention

Compounds having the ability to inhibit matrix metalloproteinases (MMP) and optionally also the release of tumour necrosis factor, e.g. TNFa, are described in US 10 Patent Applications Serial Nos. 08/539,578, filed Hay 10, 1995, and 08/644,381, 08/644,383, 08/644,797 08/644,802, all filed May 10, 1996, and in WO-A-9513289, PCT/GB96/01135, PCT/GB96/01136, PCT/GB96/01137, PCT/GB96/01138, PCT/GB96/02438 (and corresponding US Application filed Oct. 5, 1996) and PCT/GB96/02439. 15 Various effects of these inhibitory activities are described, as are suitable formulations and dosages. specifications of all these Applications are incorporated herein by reference.

Other compounds of this general type are also known. Activity can be determined by any or all of the tests described in Examples A-G of WO-A-9611209 (described herein as "Example A" etc).

Summary of the Invention

25 This invention is based on the appreciation that compounds having particularly valuable properties are of the type which reduces circulating levels of TNFa with or without activity against the classical MMP's, and that circulating levels of interleukin-18 (and also IL-6) may also be reduced. This effect may be defined in terms of a 30 specific range of activity in defined models for both TNF and $IL-1\beta$ effects. The benefits arising from this invention are due to two factors. Firstly, there is synergy between TNF α and IL-1 β in the body, so that a partial reduction in both of these may well have a larger 35 effect clinically than a total reduction in just one of them (that is TNFa). Secondly, a complete reduction in

10

15

20

25

30

35

TNFa levels may b detrimental. According to this invention, the combined partial inhibition of these two cytokines should overcome this detrimental influence and yet provide as good if not better efficacy.

In particular, compounds to which this invention relates have two or more of characteristics x, y and z, wherein:

x = MMP Inhibition, in terms of IC_{50} according to Example a, b or c (see above).

 $y = TNF\alpha$ Inhibition, in terms of IC₅₀ according to Example D of Application No. PCT/GB96/01136.

z = IL-1 Inhibition, in terms of Example D of Application No. PCT/GB96/01136, modified by using a commercially-available IL-1 β kit (R & D Systems) to assay the supernatant for IL-1 β , determining the activity in the presence of 1 mM inhibitor or dilutions thereof by comparison to activity in a control devoid of inhibitor, and reporting IC₅₀ as that inhibitor concentration effecting 50% inhibition of the production of IL-1 β .

x is below 10⁻⁴ M, preferably below 10⁻⁶ M, more preferably 10⁻⁶ M to 10⁻⁹ M.

y is below 10^{-4} M, preferably 10^{-4} M to 10^{-7} M, more preferably 5 x 10^{-5} M to 10^{-6} M.

z is below 10^{-4} M, preferably 10^{-4} M to 10^{-7} M, more preferably 5 x 10^{-5} M to 10^{-6} M.

The range for z is especially interesting, since it is distinct from most prior art compounds having characteristic x. Nevertheless, this invention relates to compounds having all three characteristics, or any two characteristics with relative inactivity according to the other, eg. IC_{50} above 5 x 10^{-4} M.

Compounds as defined above may be used in a method of treatment (which term includes prevention and prophylaxis) of the animal, and especially human, body, in post-operative care (whether in or out of hospital). The treatment regime may be a continuation of that given before the operation, e.g. for arthritis, asthma, cancer or any

15

20

25

30

35

other condition susceptible to treatment with a MMP inhibitor. They may also be used where the subject is susceptible to the recurrence of lymphoma.

Description of the Invention

Compounds that meet the criteria given above are described in the specifications identified above. Specific examples of such compounds are given in the Table, below. The first and second listed compounds, and the third on the second page are in WO-A-9513289; the last two are in PCT/GB96/01136; and the others are in WO-A-9611209; reference should be made to the formulae therein. Suitable compositions, dosages etc. of such compounds are also described in the specifications identified above. The same considerations may be applied in use of the present invention.

Evidence is emerging from clinical studies conducted using specific molecular antibodies against TNFa that a complete reduction of TNFa levels in the blood of patients with rheumatoid arthritis gives rise to relatively high frequency of decidedly negative side-effects. These are of two forms, one being a reduction of the body's resistance to infection from outside agents. The frequency of serious infections in these patients is significantly increased. Secondly, an increase in the incidence of cancer in these patients, i.e. lymphoma, may occur. These symptoms may be due to the same effect, namely a reduction in the body's resistance to "foreign" agents.

Compounds of the type generally described herein may thus be particularly useful for the therapeutic indications described in the specifications of the Applications identified above. Thus, for example, the compounds of WO-A-9513289 may be useful for the expanded range of indications described in WO-A-9611209.

Reduction of the potential side-effects of cancer or infection may be particularly beneficial following surgery. In particular, post-operative infection in patients undergoing operation for cancer removal or, for example,

15

hip or other joint replacement, may be treated. Treatment is enhanced in situations where the potential enhancement in susceptibility to infection due to TNF reduction is coincident with the treatment of the disease. words, a suitable MMP inhibitor may be used to treat cancer patients concomitant with surgery, where that treatment may give rise to an increased tendency to post-operative infection, such as a nosocomial infection. Similarly, such a compound may be used during and after hip replacement and the treatment of rheumatoid arthritis osteoarthritis. The partial inhibition of TNF optionally also of IL-1 rather than total TNF inhibition coincident with MMP inhibition is intended to give a benefit in reducing potential side-effects that the surgery had made the patient prone to. Further, the compounds defined herein are of benefit in reducing the occurrence of lymphoma.

				IC _{so} (µM)		
R	R¹	R²	R³	R ⁴	TNF	IL-1
Ac	н	Н	i-Bu	CH ₂ Ph	10.2	17.5
н	н	н	i-Bu	CH,Ph	22.7	22.6
Ac	н	Н	CH ₂ SMe	CH₂Ph	31	38
Н	Н	н	CH₂SMe	CH ₂ Ph	9	62
Ac	(CH ₂)NPhMn	н	i-Pr	CH₂Ph	14	51
Ac	(CH ¹) ⁴ CO ² Me	н	n-heptyl	CH ₂ Ph	11	12.9
Ac	(CH ₂) ₃ NPhMn	Н	CH,SMe	CH₂Pħ	5.5	11.2
Ac	(CH ₂) ₃ NPhMn	Н	n-Pr	CH₂Ph	9.3	8.6
Ac	(CH ₂) ₃ NPhMn	н	CH ₂ SMe	CH ₂ -3-indolyl	15.8	1A
н	(CH ₂) ₃ NPhMn	Н	CH ₂ SMe	CH ₂ -3-indolyl	7.1	47
Ac	(CH ₂) ₃ NPhMn	Н	i-Bu	CH ₂ -3-indolyl	16.8	1A
Н	(CH ₂) ₃ NPhMn	н	i-Bu	CH ₂ -3-indolyl	35	1A
Ac	(CH ₂) ₄ CO ₂ Me	н	i-Bu	CH ₂ -3-indolyl	38	22
Ac	(CH ₂) ₃ NPhMn	Н	i-Pr	(CH ₂) ₃ NHBoc	15	37
Ac	(CH ₂) ₃ NPhMn	н	i-Bu	t-Bu	11.6	22
Ac	(CH ₂) ₃ NPhMn	н	i-Bu	C(Me) ₂ SMe	6.4	24
Ac	(CH ₂) ₃ NPhMn	н	i-Bu	CH,Ph	5.8	11.2
Н	(CH ₂) ₃ NPhMn	н	i-Bu	CH ₂ Ph	6.2	18.7
Ac	(S)-(CH ₂) ₃ NPhMn	н	i-Bu	CH ₂ Ph	6.6	21.8
н	(S)-(CH ₂) ₃ NPhMn	н	i-Bu	CH ₂ Ph	24	1A
Ac	(CH ₂) ₂ Ph	н	i-Bu	CH ₂ Ph	24	1A
Ac	(CH ₂) ₄ CO ₂ Me	Н	i-Bu	CH ₂ Ph	29	11
Ac	(CH ₂) ₃ SAc	Н	i-Bu	CH ₂ Ph	5	25
Н	Н	(CH ₂) ₃ NPhMn	I-Bu	CH ₂ Ph	8	6
н	Н	(CH ₂) ₂ NPhMn	i-Bu	CH₂Ph	25	4

CLAIMS

- 1. Use of a matrix metalloproteinase inhibitor for the manufacture of a medicament for the treatment of a subject susceptible to or exhibiting a condition that can be treated with the inhibitor, wherein the treatment is conducted after surgical operation on the subject, and wherein the inhibitor exhibits an IC_{50} of below 100 μM with respect to matrix metalloproteinase and causes no or a partial reduction in levels of tumour necrosis factor.
- 2. Use of a matrix metalloproteinase inhibitor for the manufacture of a medicament for the treatment of a subject susceptible to or exhibiting a condition that can be treated with the inhibitor, and susceptible to recurrence of lymphoma, and wherein the inhibitor exhibits an IC₅₀ of
- below 100 μM with respect to matrix metalloproteinase and causes no or a partial reduction in levels of tumour necrosis factor.
 - 3. Use according to claim 1 or claim 2, wherein the IC $_{50}$ (MMP) is below 1 μM .
- 4. Use according to claim 3, wherein the IC_{50} (MMP) is between 1 nm and 1 μ M.
 - 5. Use according to any preceding claim, wherein the IC₅₀ (IL-1) is between 0.1 and 100 μ M.
- 6. Use according to claim 5, wherein the IC_{50} (TNF α) is between 1 and 50 μM .
 - 7. Use according to any preceding claim, wherein the IC₅₀ (TNF α) is below 100 μ M.
 - 8. Use according to claim 7, wherein the IC₅₀ (TNF α) is between 0.1 and 100 μ M.
- 9. Use according to claim 7, wherein the IC₅₀ (TNF α) is between 1 and 50 μ M.

INTERNATIONAL SEARCH REPORT

PCT/GR 96/92746

			PCI/UB 3	3/02/40
A. CLASS IPC 6	REPORT OF SUBJECT MATTER A61K38/55			
According	to International Patent Classification (IPC) or to both national clas	sification and IPC		
B. FIELD	S SEARCHED			
IPC 6	documentation searched (classification system followed by classific A61K C07K	ation symbols)		
Documenta	tion searched other than minimum documentation to the extent tha	t such documents are incl	uded in the fields	rearched
Electronic o	data base consulted during the international search (name of data b	ase and, where practical,	search terms used)	
C. DOCUM	IENTS CONSIDERED TO BE RELEVANT			
Category *	Citation of document, with indication, where appropriate, of the	relevant passages		Relevant to claim No.
х	WO 95 13289 A (CHIROSCIENCE LIMI May 1995 cited in the application see the whole document	TED) 18		1-9
P,X	WO 96 11209 A (CHIROSCIENCE LIMI April 1996 cited in the application see the whole document	TEO) 18		1-9
E	WO 96 35711 A (CHIROSCIENCE LIMI November 1996 cited in the application see the whole document	TED) 14		1-9
Fwt	her documents are listed in the continuation of box C.	X Patent family m	sembers are listed i	n sonex.
* Sneral ca	egories of cited documents :	<u> </u>		
'A' docume conside 'E' earlier of filing d	ord defining the general state of the art which is not tred to be of particular relevance document but published on or after the international	cited to understand invention "X" document of particu- cannot be considered	I not in conflict with the principle or the siar relevance; the ad novel or cannot	h the application but cory underlying the claimed invention
which is citation (O' docume	is cited to establish the publication date of another a or other special reason (as specified) ant referring to an oral disclosure, use, exhibition or	"Y" document of particu- carnot be considere document is combi-	star relevance; the o ed to involve an inv sed with one or ma	claimed invention rentive step when the re other such docu-
other n "P" docume later th	neans na published prior to the international filing date but an the priority date claimed	ments, such combin in the art. "A" document member of	•	s to a person skilled family
Date of the	actual completion of the international search	Date of mailing of the	he international ser	rch report
25	5 February 1997	! 8. 03. 9	7	
Name and re	nating address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswig	Authorized officer		
	Tcl. (+31-70) 340-2040, Tx. 31 651 epo nl,	Moreau.	J	

INTERNATIONAL SEARCH REPORT

Information on patent family members

PCT/GB 96/92746

··			101/05/30/02/40
Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9513289 A	18-05-95	AU 8113394 / BR 9408025 / CN 1134705 / EP 0728144 / FI 961976 / HU 73799 / NO 961888 / PL 314300 /	A 17-12-96 A 30-10-96 A 28-08-96 A 09-05-96 A 30-09-96 A 09-05-96
WO 96112 0 9 A	18-04-96	AU 3612795 A	02-05-96
WO 9635711 A	14-11-96	EP 0742638 A AU 5697896 A	

Serial No. 08/893,080 Filed July 15, 1997

M01846A

Hoechst Marion Roussel, Inc. 2110 E. Galbraith Road Cincinnati, Ohio 45215

.

Form PCT/ISA/218 (petent family annex) (July 1992)